

S204067
S204067

Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D6101-007
Job Sheet 198092



Part No: D6101-007

Job Qty: 20 pcs

Part Name: Saddle Billet



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/22/19

Job Tracking No:

Due Date: 8/13/19

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG REV B

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier	Sign-off
					Setup Hrs	Run Hrs		
100	Purchasing	20 pcs	8/13/19	0.00	0.00		Purchasing - 1	AT 09/08/08
							Purchasing - 2	
							Purchasing - 3	
110	Packaging 2-1 - Receive - B4B	20 pcs	8/13/19	0.00	0.00		Packaging 2 - 1 - B4B	
							Packaging 2 - 2 - B4B	
							Packaging 2 - 3 - B4B	
							Packaging 2 - 5 - B4B	
							Packaging 2 - 4 - B4B	
							Packaging 2 - 6 - B4B	
							Packaging 2 - 7 - B4B	
							Packaging 2 - 8 - B4B	
							Packaging 2 - 9 - B4B	
							Packaging 2 - 10 - B4B	
							Packaging 2 - 11 - B4B	
							Packaging 2 - 12 - B4B	
							Packaging 2 - 13 - B4B	
							Packaging 2 - 14 - B4B	
							Packaging 2 - 15 - B4B	
							Packaging 2 - 16 - B4B	
							Packaging 2 - 17 - B4B	
							Packaging 2 - 18 - B4B	
							Packaging 2 - 19 - B4B	
							Packaging 2 - 20 - B4B	
							Packaging 2 - 21 - B4B	
							Packaging 2 - 22 - B4B	
							Packaging 2 - 23 - B4B	
							Packaging 2 - 24 - B4B	
							Packaging 2 - 25 - B4B	
							Packaging 2 - 26 - B4B	
							Packaging 2 - 27 - B4B	
							Packaging 2 - 28 - B4B	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S204067



Part: D6101-007

Job No: 198092

Serial No/Batch: S204067

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 08/08/19

120 QC 18	20 pcs	8/13/19	0.00 0.00	Packaging 2 - 29 - B4B	
				Packaging 2 - 30 - B4B	
				Packaging 2 - 31 - B4B	
				Packaging 2 - 32 - B4B	
				Packaging 2 - 33 - B4B	
				Packaging 2 - 34 - B4B	
				Packaging 2 - 35 - B4B	
				Packaging 2 - 36 - B4B	
				QC 18 - 12	
130 Packaging 3-1 - Stock - B4B	20 pcs	8/13/19	0.00 0.00	QC 18 - 14	
				QC 18 - 22	
				QC 18 - 25	
				QC 18 - 48	
				QC 18 - 58	
				QC 18 - 61	DAS
				QC 18 - 9	61
				QC 18 - 81	9-80
				Packaging 3 - 1 - B4B	
140 QC 21 - SA	20 pcs	8/13/19	0.00 0.00	Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
140 QC 21 - SA	20 pcs	8/13/19	0.00 0.00	QC 21 - SA - 21	DAS
				QC 21 - SA - 70	21
				QC 21 - SA - 53	9-80

Part Op 100 - Issue P/O: _____ b) 7.750" x 8.250" x 2.50" thick d) Grain direction along 7.750" length
 Descriptions: 110 - (Receive & Inspect for Damage & Mat'l Certs), Ensure material certification is attached
 120 - Ensure Material certification comply to Dwg D6101

130 - (Identify as per dwg & Stock Location: _____), LOCATION: MAT041
140 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-007P	7075-T7351 8.25X7.75X2.5	20 pcs (1 ea)	100-Purchasing	5204056

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	D6101-007P	20	0	0

Part Specifications

Specifications could not be found.

Plex 7/22/19 11:56 AM Dart.Lavoie.Chantal

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

RELEASED
09/07/15/WB

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:3964625

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms		Carrier		BOL No	
07-AUG-19	ORIGIN	Prepaid		LOCAL FLEET		3964625-4	

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
5552933	1	72743	2.5000.PL.7075.T7351.ALUMINUM.GRAIN TO RUN ALONG 7.7500 IN.8.2500.7.7500 SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No		Part Number	Ordered Qty		Invoice Qty		
POHB044086		YOUR ITEM NUMBER: D6101-007	20.00 PCS		20.00 PCS		
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #’S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No.	Mill/Source	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
122837222	KAISER ALUMINUM			20	8.2500	7.7500	330.6320


We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name: *Kaloro*

AUG 07 2019



Date Printed: 07-AUG-2019 04:19:37 PM

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4552523

CUSTOMER PO NUMBER: 484310-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 752241	SHIP RUN/LOAD: 104547/8	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1273514-1	SHIP DATE: 23-FEB-2019	ALLOY: 7075	CLAD: BARE	TEMPER: T7351
PRODUCT DESCRIPTION: KaiserSelect Plate	WEIGHT SHIPPED: 7160 LB (3247.75 KG)	QUANTITY: 4 PCS EST.	TRUCK B/L #: 2079240	GAUGE: 2.5000 IN (63.5000 MM)
DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)			

MHU 2302241: LOT 300352B2: 1 pieces;

MHU 2302242: LOT 300352B2: 1 pieces;

MHU 2302243: LOT 300352B2: 1 pieces;

MHU 2302244: LOT 300352B2: 1 pieces;

Certified Specifications

AMS 4078/RevK
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
GSS16100/RevG/Amd1
PS 21211/RevP

AMS-QQ-A-250/12 RevA
ASTM B 594/Rev13
CMMP 025/RevV
EAC MS1011/RevE
MMS 159/RevT

AMS-STD-2154/RevC
BAC 5439/RevJ
CSTI 006/RevE
GAMPS 9101/RevB/AmdSCN1
PPS 20.04/Rev7

Test Code: 4297

Lot: 300352B2 Cast 756

Drop 53

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.9 : 71.6 (489 : 494)	59.4 : 60.5 (410 : 417)	12.6 : 12.8

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.0 Min	41.5 Max
(MS/M) :	23.8 Min	24.1 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.19	1.6	0.03	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.04





CERTIFIED TEST REPORT

Serial Number
4552523

Trentwood Works
PO Box 15108, Spokane Valley WA 99215-5108
15000 E Euclid, Spokane Valley WA 99216
Phone: (800) 367-2586

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15413B R 9
7055

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- * All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- * was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- * is free of weld repair.
- * meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

Michael Peske, PT Lab Process Engineer



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: D6101-007
 DATE: 19/08/08

PO / BATCH NO.: POH8044086/
5204067

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 20x
 QUANTITY INSPECTED: 20x
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 2.500"
 THICKNESS RECEIVED: 2.500"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y ☒ N	
CORRECT FINISH	☒ Y N	
CORROSION	Y ☒ N	
CORRECT GRAIN DIRECTION	☒ Y N	
CORRECT MATERIAL PER M-DRAWING	☒ Y N	<u>AMS-QQ-A-250/12</u>
CORRECT THICKNESS	☒ Y N	
PHOTO REQUIRED	Y ☒ N	
CORRECT REF # TO LINK CERT	☒ Y N	<u>MT-30025282</u>
CORRECT MATERIAL IDENTIFICATION	☒ Y N	
CORRECT M# ON THE MATERIAL	☒ Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y ☒ N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y ☒ N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>61</u> <u>9-89</u>	SIGNED OFF BY: _____
DATE: _____	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in